



**MEASURING UP** The CNX Wireless System includes test tools that wirelessly connect multiple measurement modules and send simultaneous readings to a master device up to 20 meters away for efficient troubleshooting. The system includes a CAT III 1000 V/CAT IV 600 V multimeter. **Fluke Corp.** • [www.fluke.com](http://www.fluke.com)



**ALL-IN-ONE SYSTEM** The Advocate AV-Series Lavatory System provides a sink, soap, faucet and dual-sided hand dryer in one unit. Users move their hands from left to right, beginning with a touchless soap dispenser, a touchless 0.38-gpm infrared faucet and finishing with a high-efficiency, dual-sided hand dryer.

**Bradley Corp.** • [www.bradleycorp.com](http://www.bradleycorp.com)



**SMOOTH OPERATION** The frameless interior sliding glass door system is designed to provide an open feel for offices and conference rooms. The sliding panels are ceiling-mounted, making a clear opening up to 10 feet wide possible without a floor track. Door heights are available up to 10 feet. **Klein USA Inc.** • [www.klein-usa.com](http://www.klein-usa.com)



**SAFE KEEPING**

The safety station is an ideal place to store first aid kits and supplies. Made of reinforced steel, the station features a 36-inch wide sink, a 24-inch wide storage cabinet and a 5-foot upper binder cabinet with gas spring shocks and task light. An emergency eye wash attachment is standard.

**Shure** • [www.shureusa.com](http://www.shureusa.com)

« ON OUR RADAR »



**UP ON THE ROOF** The new IntelliPak 1 is a packaged rooftop unit with energy efficiency ratings that range from 11 to 14.2. The systems feature eDrive, a direct-drive plenum fan technology that is up to 20 percent more efficient than traditional forward-curved fans.

Trane • [www.trane.com/ipak1](http://www.trane.com/ipak1)



**COMPACT UNIT** The stainless steel Benchmark 6000 boiler features 15-to-1 turndown for energy efficiency and low NOx emissions. The unit has an operating efficiency of 92.5 percent and measures 79 inches high by 34 inches wide by 109 inches deep. A remote data collection option is available.

Aerco • [www.aerco.com](http://www.aerco.com)



**UNDER CONTROL** The new CA Title 24-compliant model DS-2080 humidistat sensor controls bathroom exhaust fans based on the moisture levels in a room. The surface-mounted wall control allows the humidity settings to be adjusted from 20 to 80 percent relative humidity.

Orbit Industries  
[www.orbitelectric.com](http://www.orbitelectric.com)



**ENERGY SAVER** The latest addition to the Vektor laboratory exhaust fan line features Vektor-HS with Sure-Aire Variable Volume Exhaust technology, which reduces fan energy consumption and operating costs in variable volume or demand-based laboratory ventilation systems.

Greenheck  
[www.greenheck.com](http://www.greenheck.com)






**NATURAL LOOK** The Spacia line of luxury vinyl tile now includes Dry Stone Alba, which features the detail and depth of real stone. It is available in 12 by 12-, 12 by 18- and 18 by 18-inch sizes. The design has a ceramic finish, urethane coating and bevelled edges. The low-VOC tile is FloorScore-certified and eligible for LEED and other green building credits.

**Amico International • [www.amico.com](http://www.amico.com)**



**PROTECTIVE COATING** Privacy curtains are made with X-Static fibers that feature a 99.9 percent pure silver coating on a fine denier yarn for antimicrobial protection. The silver layer creates an ionic shield that permanently inhibits the growth of bacteria and fungi. X-Static is registered with the EPA as an antimicrobial agent and has undergone extensive safety testing.

**Arc-Com Fabrics • [www.arc-com.com/xstatic](http://www.arc-com.com/xstatic)**



### STYLISH AND GREEN

The company was certified to NSF/ANSI 342 Sustainability Standard for Wall-covering Products, which includes Reflections. The line is low-VOC and contains 20 percent recycled content, including a minimum of 10 percent post-consumer content. It is available in 18 colors ranging from neutrals to metallics.

**Versa Wallcovering  
[www.versawallcovering.com](http://www.versawallcovering.com)**

**FINE FINISH** Pura is a proprietary water-based, ultraviolet finish with no VOCs. It is available on nearly all of the company's wood product lines. The finish, which allows the wood to retain its clarity and beauty, meets or exceeds indoor air quality standards established by LEED and ANSI/BIFMA.

**Kimball Office  
[www.kimballoffice.com](http://www.kimballoffice.com)**

