# SOLUTIONS



#### POD PEOPLE

The Bath Pod is installed as a monolithic unit and made of modular components built to prescribed specifications. It is constructed of DuPont Corian material that satisfies surface standards for health care and includes walls, a sink and faucet, a grab bar, a door and hardware. A shower option also is available. **Grifform Innovations** 541-496-0313 www.grifform.com

11re

GREEN CERTIFIED

HAND

OZ (236 mL)

**SOUND DECISION** This pillow speaker allows patients access to cable or satellite TV set-top boxes. It is built on the proprietary EntertainIR platform and has the features of the Excel pillow speaker family. **Crest Healthcare Supply 800-328-8908 • www.cresthealthcare.com** 

#### GREEN AND CLEAN

8868

Purell Green Certified Instant Hand Sanitizer is approved by the EcoLogo label. It is made with 100 percent naturally renewable ethanol in a readily biodegradable formula.

-----

GOJO Industries • 800-321-9647 www.gojo.com/PURELLGreen

**SHINY HAPPY FLOORS** The Scotchgard Vinyl Floor Protector delivers glossy, durable floors with less labor. It requires only two coats to produce a clean, shiny floor that is stronger than those using conventional finishes. **3M • 866-654-3679 • www.3M.com** 

These product descriptions have been condensed from information supplied by manufacturers, representatives and distributors. They are for informational purposes only. Product inclusion should not be construed as an endorsement by Health Facilities Management magazine, Health Forum or the American Hospital Association.

## **SOLUTIONS » HVAC**



**SAND AWAY** The Model FSL-401 sand louver is designed to protect air intake and exhaust openings in building exterior walls from wind-driven sand. It incorporates vertical sightproof blades to separate sand from the airstream and channel it out.


Greenheck • 715-359-6171 • www.greenheck.com



**PRESSURE POINT** The ACCUSTAT P2DL portable data logger allows users to monitor negative or positive differential air pressure. More than 34,000 time-stamped pressure readings can be stored in its memory. **Biological Controls Inc. • 800-224-9768** www.biologicalcontrols.com



AIRING IT OUT A new, high-efficiency HVAC filtration media uses bicomponent, nonwoven technology to deliver minimum efficiency reporting values (MERV) of 11 to 15 for excellent indoor air quality. It is ideal for a range of filter types, including pockets/bags, rigid cells, minipleats, v-banks and aluminum separator filters. Kimberly-Clark Corp. • 888-525-8388 • www.kcfiltration.com



**TO A BOIL** The ModSync Sequencing System is used as a common interface for multiple condensing boiler systems. It controls the staging and firing rate of each condensing boiler to maximize system efficiencies and provide energy savings.

Fulton • 315-298-5121 • www.fulton.com

## **SECURITY « SOLUTIONS**

TOSHIBA

• **EYE IN THE SKY** The IK-WB30A Internet protocol (IP) network camera is the manufacturer's highest resolution IP camera to date. It offers electronic pan-tilt-zoom technology that transmits thumbnail images of entire fields of

> instantly move to a target region. Toshiba America Information Systems Inc. 877-696-3822 • www.toshibasecurity.com

view to allow the camera operator to



### OPEN SESAME

The Harmony Series of access control locking hardware now features iCLASS 13.56 MHz contactless smart card technology. It provides versatile interoperability and offers enhanced security through encryption. **Sargent Manufacturing 800-727-5477** www.sargentlock.com

